



health report : <https://chickenroaditalia.net>

examined at : 25-05-18 08:39:04

follow recommendations of this health report to keep your site healthy

Score

27.1

Page Title

Page Title

Chicken Road Casino Game ▶ Gioca con soldi veri in Italia

Short Recommendation

Your page title does not exceed 60 characters. It's fine.

Meta Description

Meta Description

I migliori casinò online per giocare a Chicken Road con soldi veri nel 2025 in Italia. Gioco Chicken Road: come funziona, strategie, trucchi e BONUS.

Short Recommendation

Your meta description does not exceed 150 characters. It's fine.

Meta Keyword

Meta Keyword

Short Recommendation

Your site do not have any meta keyword.

Keyword Analysis

Single Keywords

Keyword	Occurrence	Density	Possible Spam
Chicken	22	2.914 %	No
Road	22	2.914 %	No
di	14	1.854 %	No
il	11	1.457 %	No
è	10	1.325 %	No
gioco	9	1.192 %	No
da	7	0.927 %	No
se	7	0.927 %	No
con	7	0.927 %	No
Gioca	7	0.927 %	No
la	7	0.927 %	No
del	7	0.927 %	No
Casino	6	0.795 %	Yes
casinò	5	0.662 %	No
tuo	5	0.662 %	No
che	5	0.662 %	No
puoi	5	0.662 %	No
ti	4	0.53 %	No
una	4	0.53 %	No
ma	4	0.53 %	No

Two Word Keywords

Keyword	Occurrence	Density	Possible Spam
Chicken Road	20	2.649 %	No
a Chicken	5	0.662 %	No
un gioco	4	0.53 %	No
per chi	4	0.53 %	No
fino a	4	0.53 %	No
a €	4	0.53 %	No
Gioca ora	4	0.53 %	No
un po'	3	0.397 %	No
sul tuo	3	0.397 %	No
tuo primo	3	0.397 %	No
Recensione esperta	3	0.397 %	No
esperta Gioca	3	0.397 %	No
Bizzo Casino	3	0.397 %	No
del gioco	3	0.397 %	No
Road è	3	0.397 %	No

Keyword	Occurrence	Density	Possible Spam
Road Chicken	2	0.265 %	No
simpatico e	2	0.265 %	No
e diverso	2	0.265 %	No
in una	2	0.265 %	No
è un	2	0.265 %	No

Three Word Keywords

Keyword	Occurrence	Density	Possible Spam
a Chicken Road	5	0.662 %	No
fino a €	4	0.53 %	No
sul tuo primo	3	0.397 %	No
Recensione esperta Gioca	3	0.397 %	No
esperta Gioca ora	3	0.397 %	No
Chicken Road è	3	0.397 %	No
Chicken Road Chicken	2	0.265 %	No
Road Chicken Road	2	0.265 %	No
Chicken Road recensioni	2	0.265 %	No
Gioca a Chicken	2	0.265 %	No
giocare a Chicken	2	0.265 %	No
GIRI GRATIS Recensione	2	0.265 %	No
GRATIS Recensione esperta	2	0.265 %	No
125 fino a	2	0.265 %	No
a € 1250	2	0.265 %	No
€ 1250 sul	2	0.265 %	No
1250 sul tuo	2	0.265 %	No
tuo primo deposito	2	0.265 %	No
primo deposito 125	2	0.265 %	No
deposito 125 GIRI	2	0.265 %	No

Four Word Keywords

Keyword	Occurrence	Density	Possible Spam
Recensione esperta Gioca ora	3	0.397 %	No
Chicken Road Chicken Road	2	0.265 %	No
Road Chicken Road recensioni	2	0.265 %	No
Chicken Road recensioni Chicken	2	0.265 %	No
Gioca a Chicken Road	2	0.265 %	No
giocare a Chicken Road	2	0.265 %	No
GIRI GRATIS Recensione esperta	2	0.265 %	No
GRATIS Recensione esperta Gioca	2	0.265 %	No
125 fino a €	2	0.265 %	No

Keyword	Occurrence	Density	Possible Spam
fino a € 1250	2	0.265 %	No
a € 1250 sul	2	0.265 %	No
€ 1250 sul tuo	2	0.265 %	No
1250 sul tuo primo	2	0.265 %	No
sul tuo primo deposito	2	0.265 %	No
tuo primo deposito 125	2	0.265 %	No
primo deposito 125 GIRI	2	0.265 %	No
deposito 125 GIRI GRATIS	2	0.265 %	No
Road recensioni Chicken Road	1	0.132 %	No
recensioni Chicken Road Truffa?	1	0.132 %	No
Chicken Road Truffa? Chicken	1	0.132 %	No

Keyword Usage

Keyword Usage

Short Recommendation

The most using keywords do not match with meta keywords.

Total Words

Total Words

755

Text/Html Ratio Test

Site Failed Text/Html Ratio Test.

Text/HTML Ratio Test : 10%

Html Headings

H1(1)

Chicken Road

H2(6)

Come si gioca a Chicken Road

Statistiche del gioco: RTP, Volatilità e Margine del Casinò

Dove puoi giocare a Chicken Road Casino

Strategie e trucchi

Pro e Contro di Chicken Road

Conclusione - Chicken Road: Ne Vale la Pena?

H3(12)

Cosa lo rende interessante:

I migliori casinò online per giocare a Chicken Road con soldi veri nel 2025

Modalità disponibili:

Quanto puoi vincere?

Esempi di vincite:

Limiti di puntata e gestione del budget

Alcuni consigli pratici:

Piccolo confronto:

Modalità gratuita (Demo)

Casinò consigliati:

☐Cosa ci piace:

☐Cosa ci convince meno:

H4(1)

Un consiglio utile:

H5(0)

Robot.txt

Short Recommendation

Your site have robot.txt

Sitemap

Short Recommendation

Your site have sitemap

Location

https://chickenroaditalia.net/sitemap_index.xml

Internal Vs. External Links

Total Internal Links?

17

Total External Links?

0

Internal Links

<https://chickenroaditalia.net/>

<https://chickenroaditalia.net/>

<https://chickenroaditalia.net/chicken-road-recensioni/>

<https://chickenroaditalia.net/chicken-road-truffa/>

<https://chickenroaditalia.net/chicken-road-app/>

<https://chickenroaditalia.net/goto/6>

<https://chickenroaditalia.net/casino/dragon-slots/>

<https://chickenroaditalia.net/casino/dragon-slots/>

<https://chickenroaditalia.net/goto/7>

<https://chickenroaditalia.net/casino/bizzo-casino/>

<https://chickenroaditalia.net/casino/bizzo-casino/>

<https://chickenroaditalia.net/goto/9>

<https://chickenroaditalia.net/casino/20bet-casino/>

<https://chickenroaditalia.net/casino/20bet-casino/>

<https://chickenroaditalia.net/goto/10>

<https://chickenroaditalia.net/goto/9>

<https://chickenroaditalia.net/goto/6>

External Links

Domain Ip Information

IP: [172.67.172.40](#)

City:

Country:

Time Zone:

Longitude:

Latitude:

Noindex , Nofollow, Dofollow Links

Total NoIndex Links: **0**

Total NoFollow Links: **6**

Total DoFollow Links: **11**

NoIndex Enabled by Meta Robot?: **No**

NoFollow Enabled by Meta Robot?: **No**

NoIndex Links

NoFollow Links

```
<a target="_blank" rel="nofollow" href="https://chickenroaditalia.net/goto/6" class="wp-block-button__link has-mercury-white-color has-mercury-second-background-color has-text-color has-background wp-element-button" style="border-radius:10px;text-transform:uppercase"></a>
```

```
<a target="_blank" rel="nofollow" href="https://chickenroaditalia.net/goto/7" title="Gioca ora">Gioca ora</a>
```

```
<a target="_blank" rel="nofollow" href="https://chickenroaditalia.net/goto/9" title="Gioca ora">Gioca ora</a>
```

```
<a target="_blank" rel="nofollow" href="https://chickenroaditalia.net/goto/10" title="Gioca ora">Gioca ora</a>
```

```
<a target="_blank" rel="nofollow" href="https://chickenroaditalia.net/goto/9" title="Gioca ora" class="space-style-2-button">Gioca ora <i class="fas fa-arrow-alt-circle-right"></i></a>
```

```
<a target="_blank" rel="nofollow" href="https://chickenroaditalia.net/goto/6" class="wp-block-button__link has-mercury-white-color has-mercury-second-background-color has-text-color has-background has-link-color wp-element-button" style="text-transform:uppercase"></a>
```

Seo Friendly Links

Short Recommendation

Links of your site are SEO friendly.

Favicon

Short Recommendation

Your site have favicon.

Image 'Alt' Test

Short Recommendation

Your site have 2 images without alt text.

Images Without alt

<https://chickenroaditalia.net/wp-content/uploads/2025/05/34f-1-1.webp>

<https://mc.yandex.ru/watch/101682159>

Doc Type

Doc Type : <!Doctype Html>

Short Recommendation

Page have doc type.

Deprecated Html Tag

Short Recommendation

Your site does not have any deprecated HTML tag.

Html Page Size

Html Page Size : 82 Kb

Short Recommendation

HTML page size is > 100KB

Gzip Compression

Short Recommendation

GZIP compression is disabled.

Inline Css

Short Recommendation

Your site have 25 inline css.

Inline CSS

```
<a target="_blank" rel="nofollow" href="https://chickenroaditalia.net/goto/6" class="wp-block-button__link has-mercury-white-color has-mercury-second-background-color has-text-color has-background wp-element-button" style="border-radius:10px;text-transform:uppercase"></a>
```

```
 43w,  
<https://chickenroaditalia.net/wp-content/uploads/2025/05/chickenitalia-93x70.webp> 93w,  
<https://chickenroaditalia.net/wp-content/uploads/2025/05/chickenitalia-107x80.webp> 107w,  
<https://chickenroaditalia.net/wp-content/uploads/2025/05/chickenitalia-180x135.webp> 180w"  
sizes="(max-width: 1024px) 100vw, 1024px" />

<h3 class="wp-block-heading has-text-align-center has-mercury-second-color has-text-color has-large-font-size" style="text-transform:uppercase"></h3>

<p class="has-text-align-center has-text-color" style="color:#7f8c8d;font-style:normal;font-weight:100"></p>

<div style="height:15px" aria-hidden="true" class="wp-block-spacer"></div>

<div style="height:45px" aria-hidden="true" class="wp-block-spacer"></div>

<div style="height:45px" aria-hidden="true" class="wp-block-spacer"></div>



<span aria-hidden="true" class="wp-block-cover\_\_background has-background-dim" style="background-color:#000507"></span>

<div style="height:45px" aria-hidden="true" class="wp-block-spacer"></div>

<h2 class="wp-block-heading has-text-align-center has-large-font-size" style="text-transform:uppercase"></h2>

<p class="has-text-align-center has-text-color" style="color:#7f8c8d;font-style:normal;font-weight:100"></p>

<div style="height:30px" aria-hidden="true" class="wp-block-spacer"></div>

<div style="height:30px" aria-hidden="true" class="wp-block-spacer"></div>

<div style="height:60px" aria-hidden="true" class="wp-block-spacer"></div>

<div style="height:60px" aria-hidden="true" class="wp-block-spacer"></div>



<span aria-hidden="true" class="wp-block-cover\_\_background has-background-dim-80 has-background-dim" style="background-color:#151515"></span>

<div style="height:45px" aria-hidden="true" class="wp-block-spacer"></div>

<div style="height:45px" aria-hidden="true" class="wp-block-spacer"></div>

<p class="has-text-align-center has-text-color" style="color:#7f8c8d;font-style:normal;font-weight:100"></p>

<p class="has-text-color" style="color:#7f8c8d;font-size:12px"></p>

<a target="\_blank" rel="nofollow" href="https://chickenroaditalia.net/goto/6" class="wp-block-button\_\_link has-mercury-white-color has-mercury-second-background-color has-text-color has-background has-link-color wp-element-button" style="text-transform:uppercase"></a>


```

```

```

Internal Css

Short Recommendation

Your site have 8 internal css.

Micro Data Schema Test

Short Recommendation

Site failed micro data schema test.

Ip & Dns Report

IPv4: [172.67.172.40](#)

IPv6: [2606:4700:3036::6815:2fc5](#)

Dns Report

SL	Host	Class	TTL	Type	PRI	Target	IP
1	chickenroaditalia.net	IN	300	A			104.21.47.197
2	chickenroaditalia.net	IN	300	A			172.67.172.40
3	chickenroaditalia.net	IN	86400	NS		olga.ns.cloudflare.com	
4	chickenroaditalia.net	IN	86400	NS		walt.ns.cloudflare.com	
5	chickenroaditalia.net	IN	300	AAAA			2606:4700:3034::ac43:ac28
6	chickenroaditalia.net	IN	300	AAAA			2606:4700:3036::6815:2fc5

Ip Canonicalization Test

Short Recommendation

Site failed IP canonicalization test.

Url Canonicalization Test

Short Recommendation

Site passed URL canonicalization test.

Plain Text Email Test

Short Recommendation

Site passed plain text email test. No plain text email found.

Curl Response

url : https://chickenroaditalia.net/
content type : text/html; charset=UTF-8
http code : 200
header size : 849
request size : 144
filetime : -1
ssl verify result : 20
redirect count : 0
total time : 1.575334
namelookup time : 0.031718
connect time : 0.037113
pretransfer time : 0.053316
size upload : 0
size download : 83889
speed download : 53251
speed upload : 0
download content length : -1

upload content length : 0
starttransfer time : 1.569509
redirect time : 0
redirect url :
primary ip : 172.67.172.40
certinfo :
primary port : 443
local ip : 178.18.248.194
local port : 52372
http version : 3
protocol : 2
ssl verifyresult : 0
scheme : HTTPS
appconnect time us : 53001
connect time us : 37113
namelookup time us : 31718
pretransfer time us : 53316
redirect time us : 0
starttransfer time us : 1569509
total time us : 1575334

Pagespeed Insights (Mobile)

Performance



Emulated Form Factor [Mobile](#)

Locale [En-US](#)

Category [Performance](#)

Field Data


First Contentful Paint (FCP)

FCP Metric Category

First Input Delay (FID)

FID Metric Category

Overall Category



Origin Summary

First Contentful Paint (FCP)

FCP Metric Category

First Input Delay (FID)

FID Metric Category

Overall Category

Lab Data

First Contentful Paint **2.7 s**

First Meaningful Paint

Speed Index **3.0 s**

First CPU Idle

Time to Interactive **3.0 s**

Max Potential First Input Delay **60 ms**

Audit Data

Resources Summary

Aggregates all network requests and groups them by type [Learn More](#)

Eliminate Render-Blocking Resources

Est savings of 1,730 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn More](#)

Efficiently Encode Images

Optimized images load faster and consume less cellular data. [Learn More](#)

Enable Text Compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn More](#)

Serve Static Assets With An Efficient Cache Policy

28 resources found

A long cache lifetime can speed up repeat visits to your page. [Learn More](#)

Minimize Third-Party Usage

Third-party code blocked the main thread for 10 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn More](#)

Total Blocking Time

10 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds.

Javascript Execution Time

0.2 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

Defer Offscreen Images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn More](#)

Server Backend Latencies

0 ms

Server latencies can impact web performance. If the server latency of an origin is high, it's an indication the server is overloaded or has poor backend performance. [Learn More](#)

Properly Size Images

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn More](#)

Reduce Unused Css

Est savings of 61 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn More](#)

Avoids Enormous Network Payloads

Total size was 588 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn More](#)

Minimizes Main-Thread Work

0.6 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

Avoid Chaining Critical Requests

17 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn More](#)

Avoids An Excessive Dom Size

417 elements

A large DOM will increase memory usage, cause longer [Learn More](#)

Avoid Multiple Page Redirects

Redirects introduce additional delays before the page can be loaded. [Learn More](#)

Minify Javascript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn More](#)

User Timing Marks And Measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn More](#)

Network Round Trip Times

0 ms

Network round trip times (RTT) have a large impact on performance. If the RTT to an origin is high, it's an indication that servers closer to the user could improve performance. [Learn More](#)

Pagespeed Insights (Desktop)

Performance

77.65

Emulated Form Factor [Desktop](#)

Locale [En-US](#)

Category [Performance](#)

Field Data

First Contentful Paint (FCP)

FCP Metric Category

First Input Delay (FID)

FID Metric Category

Overall Category



Origin Summary

First Contentful Paint (FCP)

FCP Metric Category

First Input Delay (FID)

FID Metric Category

Overall Category

Lab Data

First Contentful Paint **0.8 s**

First Meaningful Paint

Speed Index **1.1 s**

First CPU Idle

Time to Interactive **1.2 s**

Max Potential First Input Delay **80 ms**

Resources Summary

Aggregates all network requests and groups them by type [Learn More](#)

Eliminate Render-Blocking Resources

Est savings of 430 ms

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn More](#)

Efficiently Encode Images

Optimized images load faster and consume less cellular data. [Learn More](#)

Enable Text Compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn More](#)

Serve Static Assets With An Efficient Cache Policy

27 resources found

A long cache lifetime can speed up repeat visits to your page. [Learn More](#)

Minimize Third-Party Usage

Third-party code blocked the main thread for 30 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn More](#)

Total Blocking Time

20 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds.

Javascript Execution Time

0.1 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

Defer Offscreen Images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn More](#)

Server Backend Latencies

20 ms

Server latencies can impact web performance. If the server latency of an origin is high, it's an indication the server is overloaded or has poor backend performance. [Learn More](#)

Properly Size Images

Est savings of 54 KiB

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn More](#)

Reduce Unused Css

Est savings of 61 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn More](#)

Avoids Enormous Network Payloads

Total size was 630 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn More](#)

Minimizes Main-Thread Work

0.6 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

Avoid Chaining Critical Requests

17 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn More](#)

Avoids An Excessive Dom Size

417 elements

A large DOM will increase memory usage, cause longer [Learn More](#)

Avoid Multiple Page Redirects

Redirects introduce additional delays before the page can be loaded. [Learn More](#)

Minify Javascript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn More](#)

User Timing Marks And Measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn More](#)

Network Round Trip Times

0 ms

Network round trip times (RTT) have a large impact on performance. If the RTT to an origin is high, it's an indication that servers closer to the user could improve

performance. [Learn More](#)
