



health report : <https://plinko-italia.net>

examined at : 24-11-26 18:18:23

follow recommendations of this health report to keep your site healthy

Score

27.6

Page Title

Page Title

Plinko Italia ▶ Recensioni Plinko Casino - Gioca per soldi veri

Short Recommendation

Your page title exceeds 60 characters. It's not good.

Meta Description

Meta Description

I Migliori Plinko Casino in Italia con soldi veri nel 2024. La guida completa per scoprire come si gioca a Plinko e come funziona. Plinko APP game online.

Short Recommendation

Your meta description exceeds 150 characters. It's not good.

Meta Keyword

Meta Keyword

Plinko Italia, Recensioni Plinko, Plinko Casino, Plinko

Short Recommendation

Keyword Analysis

Single Keywords

Keyword	Occurrence	Density	Possible Spam
di	54	3.843 %	No
Plinko	49	3.488 %	No
gioco	34	2.42 %	No
il	24	1.708 %	No
la	20	1.423 %	No
del	16	1.139 %	No
le	15	1.068 %	No
con	13	0.925 %	No
è	12	0.854 %	No
che	12	0.854 %	No
una	12	0.854 %	No
più	10	0.712 %	No
online	9	0.641 %	No
puntata	9	0.641 %	No
giocare	8	0.569 %	No
€	8	0.569 %	No
si	8	0.569 %	No
da	8	0.569 %	No
pallina	8	0.569 %	No
della	8	0.569 %	No

Two Word Keywords

Keyword	Occurrence	Density	Possible Spam
a Plinko	9	0.641 %	No
il gioco	9	0.641 %	No
del gioco	8	0.569 %	No
Plinko è	7	0.498 %	No
un gioco	5	0.356 %	No
permette di	5	0.356 %	No
gioco Plinko	5	0.356 %	No
casinò online	4	0.285 %	No
giocare a	4	0.285 %	No
Plinko con	4	0.285 %	No
le palline	4	0.285 %	No
di Plinko	4	0.285 %	No
numero di	4	0.285 %	No
Provably Fair	4	0.285 %	No
fino a	4	0.285 %	No

Keyword	Occurrence	Density	Possible Spam
volte la	4	0.285 %	No
la puntata	4	0.285 %	No
per giocare	3	0.214 %	No
con soldi	3	0.214 %	No
soldi veri	3	0.214 %	No

Three Word Keywords

Keyword	Occurrence	Density	Possible Spam
giocare a Plinko	4	0.285 %	No
volte la puntata	4	0.285 %	No
Plinko con soldi	3	0.214 %	No
con soldi veri	3	0.214 %	No
Visita 100 GIRI	3	0.214 %	No
100 GIRI GRATIS	3	0.214 %	No
di software per	3	0.214 %	No
software per casinò	3	0.214 %	No
versioni di Plinko	3	0.214 %	No
casinò online in	2	0.142 %	No
online in Italia	2	0.142 %	No
in Italia per	2	0.142 %	No
Italia per giocare	2	0.142 %	No
per giocare a	2	0.142 %	No
a Plinko con	2	0.142 %	No
€ PACCHETTO DI	2	0.142 %	No
PACCHETTO DI BENVENUTO	2	0.142 %	No
DI BENVENUTO Visita	2	0.142 %	No
BENVENUTO Visita 100	2	0.142 %	No
€ Pacchetto di	2	0.142 %	No

Four Word Keywords

Keyword	Occurrence	Density	Possible Spam
Plinko con soldi veri	3	0.214 %	No
Visita 100 GIRI GRATIS	3	0.214 %	No
di software per casinò	3	0.214 %	No
casinò online in Italia	2	0.142 %	No
online in Italia per	2	0.142 %	No
in Italia per giocare	2	0.142 %	No
per giocare a Plinko	2	0.142 %	No
giocare a Plinko con	2	0.142 %	No
a Plinko con soldi	2	0.142 %	No

Keyword	Occurrence	Density	Possible Spam
€ PACCHETTO DI BENVENUTO	2	0.142 %	No
PACCHETTO DI BENVENUTO Visita	2	0.142 %	No
DI BENVENUTO Visita 100	2	0.142 %	No
BENVENUTO Visita 100 GIRI	2	0.142 %	No
€ Pacchetto di Benvenuto	2	0.142 %	No
aziende di software per	2	0.142 %	No
software per casinò online	2	0.142 %	No
Come giocare a Plinko	2	0.142 %	No
permette di regolare la	2	0.142 %	No
di regolare la volatilità	2	0.142 %	No
al colore della pallina	2	0.142 %	No

Keyword Usage

Keyword Usage

Plinko Italia, Recensioni Plinko, Plinko Casino, Plinko

Short Recommendation

The most using keywords match with meta keywords.

Total Words

Total Words

1405

Text/Html Ratio Test

Site Passed Text/Html Ratio Test.

Text/HTML Ratio Test : 38%

Html Headings

H1(1)

Plinko

H2(4)

Plinko Casino

Plinko APP

Gioco Plinko Recensioni

Plinko Soldi Veri

H3(9)

Come giocare a Plinko Casino?

Gioco Plinko: come funziona

Modalità automatica del gioco Plinko

Provably Fair

3 livelli di rischio Plinko

RTP del gioco Plinko

Scommessa istantanea

Come vincere al casino Plinko?

La nostra Plinko Recensioni

H4(1)

I migliori siti per giocare a Plinko con soldi veri

H5(0)

H6(0)

Domain Ip Information

IP: [104.21.14.109](#)

City: [San Francisco](#)

Country: [US](#)

Time Zone: [America/Los_Angeles](#)

Longitude: [-122.3971](#)

Latitude: [37.7621](#)

Noindex , Nofollow, Dofollow Links

Total NoIndex Links: [0](#)

Total NoFollow Links: [1](#)

Total DoFollow Links: [10](#)

NoIndex Enabled by Meta Robot?: [No](#)

NoFollow Enabled by Meta Robot?: [No](#)

NoIndex Links

NoFollow Links

```
<div data-href="/machance.php" target="blank" rel="nofollow" class="header__sin btn btn-nobg header__btn">Login</div>
```

```
<a href="/machance.php" target="blank" rel="nofollow" class="header__sup btn btn-accent header__btn">Registro</a>
```

Seo Friendly Links

Short Recommendation

Links of your site are SEO friendly.

Favicon

Short Recommendation

Your site have favicon.

Image 'Alt' Test

Short Recommendation

Your site have 22 images without alt text.

Images Without alt
/templates/plinko-italia/images/bg-decor-bg.png
/templates/plinko-italia/images/bg-decor-bg.png
/templates/plinko-italia/images/prov/prov-1spin4win.png
/templates/plinko-italia/images/prov/prov-betsoft.png
/templates/plinko-italia/images/prov/prov-bgaming.png
/templates/plinko-italia/images/prov/prov-netgame.png
/templates/plinko-italia/images/prov/prov-boominggames.png
/templates/plinko-italia/images/prov/prov-oryxgaming.png
/templates/plinko-italia/images/prov/prov-platipus.png
/templates/plinko-italia/images/prov/prov-playson.png
/templates/plinko-italia/images/paym/visa.svg
/templates/plinko-italia/images/paym/master-card.svg
/templates/plinko-italia/images/paym/paysafecard.svg
/templates/plinko-italia/images/paym/skrill.svg
/templates/plinko-italia/images/paym/neteller.svg
/templates/plinko-italia/images/paym/neosurf.svg
/templates/plinko-italia/images/paym/mifinity.svg
/templates/plinko-italia/images/paym/bank-transfer.svg
/templates/plinko-italia/images/paym/bitcoin.svg
/templates/plinko-italia/images/paym/softswiss.svg
/templates/plinko-italia/images/partners/01.png
https://mc.yandex.ru/watch/98971520

Doc Type : <!Doctype Html>

Short Recommendation

Page have doc type.

Deprecated Html Tag

Short Recommendation

Your site does not have any deprecated HTML tag.

Html Page Size

Html Page Size : 27 Kb

Short Recommendation

HTML page size is > 100KB

Gzip Compression

Short Recommendation

GZIP compression is disabled.

Inline Css

Short Recommendation

Your site have 1 inline css.

Inline CSS

```

```

Internal Css

Short Recommendation

Your site does not have any internal css.

Micro Data Schema Test

Short Recommendation

Site failed micro data schema test.

Ip & Dns Report

IPv4: [104.21.14.109](#)

IPv6: [2606:4700:3032::6815:e6d](#)

Dns Report

SL	Host	Class	TTL	Type	PRI	Target	IP
1	plinko-italia.net	IN	300	A			172.67.158.168
2	plinko-italia.net	IN	300	A			104.21.14.109
3	plinko-italia.net	IN	86400	NS		damien.ns.cloudflare.com	
4	plinko-italia.net	IN	86400	NS		heather.ns.cloudflare.com	
5	plinko-italia.net	IN	300	AAAA			2606:4700:3037::ac43:9ea8
6	plinko-italia.net	IN	300	AAAA			2606:4700:3032::6815:e6d

Ip Canonicalization Test

Short Recommendation

Site failed IP canonicalization test.

Url Canonicalization Test

Short Recommendation

Site passed URL canonicalization test.

Plain Text Email Test

Short Recommendation

Site passed plain text email test. No plain text email found.

Curl Response

url : https://plinko-italia.net/

content type : text/html; charset=utf-8

http code : 200

header size : 1023

request size : 136

filetime : -1

ssl verify result : 20

redirect count : 0

total time : 0.235456

namelookup time : 0.134192

connect time : 0.136238

pretransfer time : 0.153794

size upload : 0

size download : 27649

speed download : 117427

speed upload : 0

download content length : -1

upload content length : 0

starttransfer time : 0.231177

redirect time : 0

redirect url :

primary ip : 172.67.158.168

certinfo :

primary port : 443

local ip : 178.18.248.194

local port : 38650

http version : 3
protocol : 2
ssl verifyresult : 0
scheme : HTTPS
appconnect time us : 153251
connect time us : 136238
namelookup time us : 134192
pretransfer time us : 153794
redirect time us : 0
starttransfer time us : 231177
total time us : 235456

Pagespeed Insights (Mobile)

Performance



Emulated Form Factor **Mobile**

Locale **En-US**

Category **Performance**

Field Data

First Contentful Paint (FCP)

FCP Metric Category

First Input Delay (FID)

FID Metric Category

Overall Category



Origin Summary

First Contentful Paint (FCP)

FCP Metric Category

First Input Delay (FID)

FID Metric Category

Overall Category

Lab Data

First Contentful Paint **3.0 s**

First Meaningful Paint

Speed Index **5.0 s**

First CPU Idle

Time to Interactive **6.5 s**

Max Potential First Input Delay **180 ms**

Audit Data

Resources Summary

Aggregates all network requests and groups them by type [Learn More](#)

Eliminate Render-Blocking Resources

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn More](#)

Efficiently Encode Images

Optimized images load faster and consume less cellular data. [Learn More](#)

Enable Text Compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn More](#)

Serve Static Assets With An Efficient Cache Policy

31 resources found

A long cache lifetime can speed up repeat visits to your page. [Learn More](#)

Reduce The Impact Of Third-Party Code

Third-party code blocked the main thread for 290 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn More](#)

Total Blocking Time

440 ms

Sum of all time periods between FCP and Time to Interactive, when task length

exceeded 50ms, expressed in milliseconds.

Reduce Javascript Execution Time

1.3 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

Defer Offscreen Images

Potential savings of 49 KiB

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn More](#)

Server Backend Latencies

10 ms

Server latencies can impact web performance. If the server latency of an origin is high, it's an indication the server is overloaded or has poor backend performance. [Learn More](#)

Properly Size Images

Potential savings of 124 KiB

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn More](#)

Reduce Unused Css

Potential savings of 17 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn More](#)

Avoids Enormous Network Payloads

Total size was 1,001 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn More](#)

Minimize Main-Thread Work

3.0 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

Avoid Chaining Critical Requests

3 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn More](#)

Avoids An Excessive Dom Size

271 elements

A large DOM will increase memory usage, cause longer [Learn More](#)

Avoid Multiple Page Redirects

Redirects introduce additional delays before the page can be loaded. [Learn More](#)

Minify Javascript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn More](#)

User Timing Marks And Measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn More](#)

Network Round Trip Times

0 ms

Network round trip times (RTT) have a large impact on performance. If the RTT to an origin is high, it's an indication that servers closer to the user could improve performance. [Learn More](#)

Pagespeed Insights (Desktop)

Performance

80

Emulated Form Factor [Desktop](#)

Locale [En-US](#)

Category [Performance](#)

Field Data


First Contentful Paint (FCP)

FCP Metric Category

First Input Delay (FID)

FID Metric Category

Overall Category



Origin Summary

First Contentful Paint (FCP)

FCP Metric Category

First Input Delay (FID)

FID Metric Category

Overall Category

Lab Data

First Contentful Paint **0.3 s**

First Meaningful Paint

Speed Index **0.6 s**

First CPU Idle

Time to Interactive **0.7 s**

Max Potential First Input Delay **40 ms**

Resources Summary

Aggregates all network requests and groups them by type [Learn More](#)

Eliminate Render-Blocking Resources

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn More](#)

Efficiently Encode Images

Optimized images load faster and consume less cellular data. [Learn More](#)

Enable Text Compression

Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. [Learn More](#)

Serve Static Assets With An Efficient Cache Policy

29 resources found

A long cache lifetime can speed up repeat visits to your page. [Learn More](#)

Minimize Third-Party Usage

Third-party code blocked the main thread for 0 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn More](#)

Total Blocking Time

0 ms

Sum of all time periods between FCP and Time to Interactive, when task length exceeded 50ms, expressed in milliseconds.

Javascript Execution Time

0.3 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

Defer Offscreen Images

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn More](#)

Server Backend Latencies

20 ms

Server latencies can impact web performance. If the server latency of an origin is high, it's an indication the server is overloaded or has poor backend performance. [Learn More](#)

Properly Size Images

Potential savings of 189 KiB

Serve images that are appropriately-sized to save cellular data and improve load time. [Learn More](#)

Reduce Unused Css

Potential savings of 17 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. [Learn More](#)

Avoids Enormous Network Payloads

Total size was 999 KiB

Large network payloads cost users real money and are highly correlated with long load times. [Learn More](#)

Minimizes Main-Thread Work

0.8 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn More](#)

Avoid Chaining Critical Requests

3 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. [Learn More](#)

Avoids An Excessive Dom Size

271 elements

A large DOM will increase memory usage, cause longer [Learn More](#)

Avoid Multiple Page Redirects

Redirects introduce additional delays before the page can be loaded. [Learn More](#)

Minify Javascript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn More](#)

User Timing Marks And Measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn More](#)

Network Round Trip Times

0 ms

Network round trip times (RTT) have a large impact on performance. If the RTT to an origin is high, it's an indication that servers closer to the user could improve

performance. [Learn More](#)
